

## Print Ad Specs

- Files for bleed ads should measure 12.125" h x 10" w on the outside edge to allow for trim size of 11.875" h x 9.75" w.
- All live matter should be kept .5" from trim on all sides.

#### **Artwork Guidelines**


(ONLY ELECTRONIC FILES ACCEPTED)

FTP upload (see http://cmasolutions.com/upload-artwork/).






- The preferred format is a PDF file. The file must be Press Optimized PDF. Be sure to include any fonts and images linked to your file. All photos must be high resolution (at least 300dpi). All color ads must be saved as CMYK not RGB. All bleed ads must have the appropriate bleed, extending .125" beyond crop marks that are set to the trim size of 11.875" h x 9.75" w.
- Sending a hard copy color proof is encouraged and is the only way we can ensure color accuracy.
- Files less than 3 MB in size can be sent via email to imarkelectricalads@cmasolutions.com.
- IMARK Electrical Now is printed on a high-speed sheet-fed offset press, 4-color process.







Creative Marketing Alliance, the magazine's publisher, can provide design services for an additional charge. Contact Donna Latham at DLatham@cmasolutions.com for more information.

Submit your ad materials via the portal at www.cmasolutions.com/upload-artwork/.



# Website Banner Ad Specs

- · Appear on all pages of the web issue
- Rotate every 4 seconds
- Must be jpg files, cannot exceed 40kb
- Will be replaced with current advertisers when next issue is posted

BANNER AD 728 px wide by 100 px high

## Sponsor Ad Specs

- Appear with the article indefinitely
- Do not rotate
- Must be jpg files, cannot exceed 80kb

SPONSOR AD 728 px wide by 200 px high

#### Call to Action Example.

Fill out a return the Call to Action Form on page 5 of the Media Kit for all website banner ads.

Every website banner ad will link to a call-to-action form on imarkgroup.com, which IMARK members can access and review to earn points toward Gold/Platinum status throughout 2023.



**Sponsor** 

C



Banner Ad Size 728 X 100

Banner Ad Size 728 X 100

Sponsor Ad Size 728 X 200



To view a short video tutorial showing ad placements and function on the IMARK Website. https://bit.ly/IMARKweb

Submit your ad materials via the portal at www.cmasolutions.com/upload-artwork/.

### Header

# Banner Ad Size 576 X 100 FLECTRICAL NOW SORMO 2002 EDITION THE OFFICE OF THE FUTURE ARE YOU READY?

# E-Newsletter Ad Specs

Ad Dimensions: 576 px wide by 100 px high

File Format: jpg files only

File Size: Cannot exceed 40KB

BANNER AD 576 px wide by 100 px high

Maximum two ads sold per position. In the event more than two ads are sold for an e-newsletter position, they will be stacked in that position in accordance to the frequency and order they are received.

#### Leaderboard



#### Middleboard



Lighting and wiring device manufacturers discuss the future of commercial office space and the lighting configurations and wiring device products that will best support a post-pendemic workforce.

READARTICLE



Weo Navigators Help Maximize WARK Program

Benefits

WARK Electrical Now reached out to some high
performing member web navigators and asked them to
share their nemonarities on this vital rela-


READANTICLE

2021 Platinum and Gold Supplier Announced
This program recognizes and reverse IRANK Districts preferred supplies for their participation in MARK Electrical programs and utilization of IMARK Electrical resources (RAD WITCH.)

2021 Patinium Agency Sales Rop Firms Announced
The IMARK Electrical Platnum program recognizes agency rep firms that are fully
engaged with IMARK Electrical and its member companies.

Canadian Member Being inducted fre

#### Lowerboard



Submit your ad materials via the portal at www.cmasolutions.com/upload-artwork/.

## Social Media and Google Retargeting Ad Specs

For every full page ad purchased in the print edition, advertisers will receive a Facebook or LinkedIn ad for the duration of one week and a Google retargeting ad off of imarkelectricalnow.imarkgroup.com for the duration of one week.

## Social Media Ad Specs

Facebook: 940 px wide by 788 px high LinkedIn: 1024 px wide by 512 px high Copy should be 500 words or less.

Join our private Facebook group at: www.facebook.com/groups/imarkelectricalnow/

Like our public Facebook page at: https://www.facebook.com/imarkelectricalnow

Join our member-only LinkedIn group at: https://www.linkedin.com/groups/12460195/

Find our public LinkedIn page at: https://www.linkedin.com/company/imarkelectrical

## Google Retargeting Ad Specs


Five (5) ad unit images necessary: 300 px wide by 200 px high 300 px wide by 50 px high 300 px wide x 100 px high 250 px wide x 250 px high 200 px wide x 200 px high

For more information about submitting your social media ad graphic, copy and link and Google retargeting images, email imarkelectricalads@cmasolutions.com.





Private Group





Private Group